




PRODUCT INFORMATION

Indoor Resilient Multisport, Multipurpose Surfacing



DYNAPOINT® CLASSIC

- Qualipur Matte Top Coats
- Qualipur Flexible Wear Coat
- Qualipur Pore Filler
- 100% Recycled Rubber Mat
- Qualipur Adhesive



Dynapoint® Classic is a resilient, seamless sandwich indoor sports flooring system. Composed of prefabricated recycled rubber mat adhered to the substrate and coated with a minimum 2mm premium polyurethane Wear Coat. Finished with two layers of premium polyurethane matte top coats.



Product Name

Dynapoint® Classic

Nominal Thickness

9mm (7+2)

Surface Structure

7mm Prefabricated rubber mat
2mm Wear Layer with Matte top coats

Manufacturing

ISO 9001 Certified
ISO 14001 Certified
US Green Building Council Member

Approvals

IHF Certified

Purpose of Use

Multi-Sports – Competition and Recreational Sports, Training
Fitness – Gymnastics, Yoga, Aerobics, Dancing, Martial Arts
Multi-Purpose – Community Events, Exhibitions, School Performances and Activities

DYNAPOINT® CLASSIC

TEST RESULTS

Tests according to DIN 18032-2 Climate during Testing	Tests Results average value 21°C 55% r.L.	Requirements acc. DIN 18032-2 point-elastic Surface Systems 23/50-2 DIN 50014
Force Reduction FR %	23	Category 2: min. 45
Standard StD mm Deformation	0.7	Category 2: max. 3.0
Ball Rebound BR %	99	min. 90
Sliding Behaviour	0.42	min. 0.4 max. 0.6
Rolling Load without Damage RL N	1000	1000
Impact Resistance Nm	11	min. 8
Remaining Indentation mm	0.06	max. 0.5

TESTS	Standard Climate 23/50 DIN 50014	Constant Heat Climate 80°C/14d
Tensile Strength N/mm ² ASTM D 412	18.4	15.4
Elongation at Break % ASTM D 412	813	638
Taber Abrasion ASTM D 4060 (500g/H18/3000 Revolutions) Loss Weight g	0.17	
Tear Strength N/mm ASTM D 624	37.3	



PERFORMANCE ENHANCING SURFACE TECHNOLOGY

AUSTRALIA 03 8792 8000

Factory 3, Dunlopillo Drive
Dandenong South, VIC 3175
enquiry@advpolytech.com.au
www.advpolytech.com.au

Offices

Melbourne | Sydney | Brisbane

Agent Locations

Melbourne | Sydney | Brisbane | Adelaide | Perth |
Darwin | TAS | NZ



Dynapoint® is a registered trademark of APT Corporation

ASIA | AUSTRALIA | EUROPE | NEW ZEALAND | USA

www.advpolytech.com.au
1800 663 812






COLOUR CHART

Professional and Recreational Sporting Surfaces

Colours are as accurate as possible. Slight variations may occur due to job site conditions, mixing proportions and installation methods. Custom colours are available upon request.





DYNAPoint



**PERFORMANCE
ENHANCING
SURFACE
TECHNOLOGY**

AUSTRALIA 03 8792 8000

Factory 3, Dunlopillo Dr. Dandenong South,

VIC 3175, Australia

enquiry@advpolytech.com.au

www.advpolytech.com.au

@APTWorldwide  

Dynapoint® is a registered trademark of APT Corporation

ASIA | AUSTRALIA | EUROPE | NEW ZEALAND | USA