

FLEXIMIX PLUS

SYNTHETIC TREE ROOT & FOOTPATH SURFACING

Surfacing Contractors Australia Pty Ltd are proud to offer the "Fleximix Plus" system. The "Fleximix Plus" system originated due to a high demand from local government requesting alternative systems to concrete and asphalt to surface footpaths that are subject to high levels of tree root growth disturbance. Concrete, asphaltic concrete and paved surfaces in general cause compaction in areas around root system's and do not allow adequate filtration or aeration that the tree requires to grow in a healthy and natural manner.

With these external affects in mind, a tendency for the root system to change its growth pattern and send roots towards higher ground has been noticed. This in turn will cause a sheering action of concrete panels or paving and cracking of asphalt. The end result is a surface that is undulating and dangerous with trip hazards and shearing joints.

"Fleximix PLUS" is the solution to all these issues. The benefits "Fleximix" can offer you are as follows:

- Slip resistant, impact absorbing qualities, minimising accidents and injuries.
- A seamless in-situ one-piece application, without joints. The wet-pour application means almost any shape or contour can be installed to blend with existing regulating boundaries.
- Suitable for pedestrian path applications, driveways and areas where erosion is present, leaving root systems subjected to pedestrian traffic and general wear.
- Aesthetically appealing, a colourful surface allows you to colour co-ordinate or design your specific area, or to blend to match existing colours to achieve minimum impact.
- Excellent elongation and flexibility.
- Porous to allow water filtration and aeration.
- De-compacted sub-grade utilising rubber crumb, therefore giving water retention through the hotter months and additional warmth to the root system in the colder months



If you are looking for quality surfacing, Surfacing Contractors Australia can help you find the best solution for your needs and requirements, give us a call now on

1300 682 772.

Surfacing Contractors Australia

Ph: 1300 682 772

www.surfcon.com.au


admin@surfcon.com.au

SCA
Surfacing Contractors Australia Pty Ltd

FLEXIMIX PLUS




TREE TRUNK (ALL SIZES)




35mm WETPOUR RUBBER SURFACING,
USING SYNTHETIC PLAYKOTE EPDM
RUBBER COLOURED FINISH, WATER
AND AIR PERMEABLE

RUBBER INLAY FLUSH
WITH PAVEMENT



20mm RECYCLED CONCRETE MIXED WITH
8-10mm SBR
RUBBER SUB BASE


GEOFABRIC & PLASTIC STABILISER



GEOFABRIC LAYER



TREE ROOTS AND SOIL



PlayKote



EPDM



Desert Sand #1002



Sunraysia #1012




Wheat #1014



Ivory #1015




Uluru #3017




Rust #3016




Lavender #4005




Navy Sea #5010




Arctic #5012



Ocean #5015



Apple #6017



Jade #6016



Forest #6005



Sage #6021



Thunder #7037



Ash #7038



Chocolate #8025



Mocha #8024

Note: Colours may slightly vary from the images provided



AUSTRALIAN
SURFACING
SUPPLIES
PTY LTD

Phone: 1300 PLAYKOTE
Offices: Adelaide, Melbourne, Brisbane
sales@australiansurfacing.com.au
www.australiansurfacing.com.au

